

```

Job name . . . . . : POPA1      User . . . . . : SCOTT      Number . . . . . : 120789
Job description . . . . . : QSCOTT  Library . . . . . : QGPL

```

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF1124	Information	00	09/06/23	16:26:44.072747	QWTPIIPP	QSYS	04C9	*EXT		*N
					Message . . . . . : Job 120789/SCOTT/POPA1 started on 09/06/23 at 16:26:44 in subsystem QINTER in QSYS. Job entered system on 09/06/23 at 16:26:44.					
*NONE	Request		09/06/23	16:26:44.074926	QUIMNDRV	QSYS	02B5	QUIMNDRV	QSYS	02B5
					Message . . . . . : -/* */					
*NONE	Request		09/06/23	16:26:44.670250	QUICMD	QSYS	0543	QUICMD	QSYS	0543
					Message . . . . . : -strpdm					
*NONE	Request		09/06/23	16:27:01.374281	QUOCMD	QSYS	019A	QUOCMD	QSYS	019A
					Message . . . . . : -call ilrenc01					
CPC3101	Completion	00	09/06/23	16:27:01.390280	QDBCLRPF	QSYS	02B4	ILRENC01	RCERWRK	*STMT
					To module . . . . . : ILRENC01					
					To procedure . . . . . : ZFIRSTTIME					
					Statement . . . . . : 179300					
					Message . . . . . : Member RCILRIN file RCILRIN in NFREC cleared.					
CPF4028	Diagnostic	10	09/06/23	16:27:04.332717	QDBOPEN	QSYS	*STMT	ILRENC02	RCERWRK	*STMT
					From module . . . . . : QDBOPEN					
					From procedure . . . . . : SGNRTNOK					
					Statement . . . . . : 16540					
					To module . . . . . : ILRENC02					
					To procedure . . . . . : ILRENC02					
					Statement . . . . . : 2100000001					
					Message . . . . . : Open of member ARMSTR was changed to SEQONLY(*NO).					
					Cause . . . . . : Member ARMSTR file ARMSTR in library NFREC was opened with the SEQONLY(*YES) parameter specified in the program or on the Override Database File (OVRDBF) command. However, the parameter has been changed to SEQONLY(*NO) because of condition 1 shown below: 1 - The program opened member ARMSTR for output operations only and SEQONLY(*YES) was specified with the default number of records. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation. 2 - The program opened the member for other than input or output operations only. 3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member. 4 - The record length plus the feedback information for the member is greater than 32,767 bytes. 5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only. 6 - The program opened member ARMSTR for output operations only and SEQONLY(*YES) was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow duplicate key feedback or insert key feedback to be provided on a record by record basis. 7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost subselect processed a subquery with an IN, = ANY, or <> ALL subquery predicate operator, which is treated as a correlated reference. Only one record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. 9 - The file is a distributed file opened for DSTDTA(*CURRENT). One or more of the nodes in this file have been implemented using join logical file processing. 10 - The file, or a physical file on which the file is based, contains File Link					

Job name . . . . . : POPA1                      User . . . . . : SCOTT                      Number . . . . . : 120789  
Job description . . . . . : QSCOTT                      Library . . . . . : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
<p>Control DataLink fields. 11 - The file, or a physical file on which the file is based, has a column that is a ROW-BEGIN, ROW-END, TRANSACTION-START-ID, or generated expression. Recovery . . . : For condition 1 or condition 6: -- If changing parameter SEQONLY(*YES) to SEQONLY(*NO) is not acceptable, use the Override Database File (OVRDBF) command to override the parameter SEQONLY(*NO) by specifying SEQONLY(*YES N) where N indicates the number of records. Then try your request again.</p>										
RNX0425	Escape	50	09/06/23	16:27:09.167819	QRNXIE	QSYS	*STMT	YAJLINTO	YAJL	*STMT
<p>From module . . . . . : QRNXMSG From procedure . . . . . : SignalException Statement . . . . . : 21 To module . . . . . : YAJLINTO To procedure . . . . . : GET_INPUT_DATA Statement . . . . . : 862 Message . . . . . : The length requested for storage allocation is out of range. Cause . . . . . : RPG procedure GET_INPUT_ in program YAJL/YAJLINTO tried to allocate storage with a length that was not a value between 1 and the maximum allowed. Recovery . . . : Contact the person responsible for program maintenance to determine the cause of the problem. Technical description . . . . . : For a teraspace allocation, the maximum allowed is 4294967295. For a non-teraspace allocation, the maximum allowed is 16776704.</p>										
CEE9901	Escape	30	09/06/23	16:27:09.167987	QLEAWI	QSYS	*STMT	QRNXUTIL	QSYS	*STMT
<p>From module . . . . . : QLEDEH From procedure . . . . . : Q LE leDefaultEh2 Statement . . . . . : 175 To module . . . . . : QRNXXML To procedure . . . . . : callDataIntoParser Statement . . . . . : 32 Message . . . . . : Application error. RNX0425 unmonitored by YAJLINTO at statement 0000000862, instruction X'0000'. Cause . . . . . : The application ended abnormally because an exception occurred and was not handled. The name of the program to which the unhandled exception is sent is YAJLINTO YAJLINTO GET_INPUT_DATA. The program was stopped at the high-level language statement number(s) 0000000862 at the time the message was sent. If more than one statement number is shown, the program is an optimized ILE program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the real value was not available. Recovery . . . : See the low level messages previously listed to locate the cause of the exception. Correct any errors, and then try the request again.</p>										
RNX0359	Escape	50	09/06/23	16:27:09.176270	QRNXUTIL	QSYS	*STMT	ILRENC02	RCERWRK	*STMT
<p>From module . . . . . : QRNXXML From procedure . . . . . : _QRNX_DATA_INT0 Statement . . . . . : 49 To module . . . . . : ILRENC02 To procedure . . . . . : ANALYZEJSON Statement . . . . . : 97500 Message . . . . . : Error CEE9901 occurred while running the program or procedure for the DATA-INT0 operation. Cause . . . . . : Program or procedure 'YAJL/YAJLINTO' for the DATA-INT0</p>										

